

1p36 deletion syndrome;  
2-Hydroxyglutaric aciduria;  
5'nucleotidase increased;  
Acousticneuritis;  
Acquired C1 inhibitor deficiency;  
Acquired epidermolysis bullosa;  
Acquired epilepticaphasia;  
Acute cutaneous lupus erythematosus;  
Acute disseminated encephalomyelitis;  
Acute encephalitis with refractory, repetitive partial seizures;  
Acute febrile neutrophilic dermatosis;  
Acute flaccid myelitis;  
Acute haemorrhagic leukoencephalitis;  
Acute haemorrhagic oedema of infancy;  
Acute kidney injury;  
Acute macular outer retinopathy;  
Acute motor axonal neuropathy;  
Acute motor-sensory axonal neuropathy;  
Acute myocardial infarction;  
Acute respiratory distress syndrome;  
Acute respiratory failure;  
Addison's disease;  
Administration site thrombosis;  
Administration site vasculitis;  
Adrenal thrombosis;  
Adverse event following immunisation;  
Ageusia;  
Agranulocytosis;  
Air embolism;  
Alanine aminotransferase abnormal;  
Alanine aminotransferase increased;  
Alcoholic seizure;  
Allergic bronchopulmonary mycosis;  
Allergic oedema;  
Alloimmune hepatitis;  
Alopecia areata;  
Alpers disease;  
Alveolar proteinosis;  
Ammonia abnormal;  
Ammonia increased;  
Amniotic cavity infection;  
Amygdalohippocampectomy;  
Amyloid arthropathy;  
Amyloidosis;  
Amyloidosis senile;  
Anaphylactic reaction;  
Anaphylactic shock;  
Anaphylactic transfusion reaction;  
Anaphylactoid reaction;  
Anaphylactoid shock;  
Anaphylactoid syndrome of pregnancy;  
Angioedema;  
Angiopathic neuropathy;  
Ankylosing spondylitis;

Anosmia;  
Anti-acetylcholine receptor antibody positive;  
Anti-actin antibody positive;  
Anti-aquaporin-4 antibody positive;  
Anti-basal ganglia antibody positive;  
Anti-cyclic citrullinated peptide antibody positive;  
Anti-epithelial antibody positive;  
Anti-erythrocyte antibody positive;  
Anti-exosome complex antibody positive;  
Anti-GAD antibody negative;  
Anti-GAD antibody positive;  
Anti-ganglioside antibody positive;  
Antigliadin antibody positive;  
Anti-glomerular basement membrane antibody positive;  
Anti-glomerular basement membrane disease;  
Anti-glycyl-tRNA synthetase antibody positive;  
Anti-HLA antibody test positive;  
Anti-IA2 antibody positive;  
Anti-insulin antibody increased;  
Anti-insulin antibody positive;  
Anti-insulin receptor antibody increased;  
Anti-insulin receptor antibody positive;  
Anti-interferon antibody negative;  
Anti-interferon antibody positive;  
Anti-islet cell antibody positive;  
Antimitochondrial antibody positive;  
Anti-muscle specific kinase antibody positive;  
Anti-myelin-associated glycoprotein antibodies positive;  
Anti-myelin-associated glycoprotein associated polyneuropathy;  
Antimyocardial antibody positive;  
Anti-neuronal antibody positive;  
Antineutrophil cytoplasmic antibody increased;  
Antineutrophil cytoplasmic antibody positive;  
Anti-neutrophil cytoplasmic antibody positive vasculitis;  
Anti-NMDA antibody positive;  
Antinuclear antibody increased;  
Antinuclear antibody positive;  
Antiphospholipid antibodies positive;  
Antiphospholipid syndrome;  
Anti-platelet antibody positive;  
Anti-prothrombin antibody positive;  
Antiribosomal P antibody positive;  
Anti-RNA polymerase III antibody positive;  
Anti-saccharomyces cerevisiae antibody test positive;  
Anti-sperm antibody positive;  
Anti-SRP antibody positive;  
Antisynthetase syndrome;  
Anti-thyroid antibody positive;  
Anti-transglutaminase antibody increased;  
Anti-VGCC antibody positive;  
Anti-VGKC antibody positive;  
Anti-vimentin antibody positive;  
Antiviral prophylaxis;  
Antiviral treatment;

Anti-zinc transporter 8 antibody positive;  
Aortic embolus;  
Aortic thrombosis;  
Aortitis;  
Aplasia pure red cell;  
Aplastic anaemia;  
Application site thrombosis;  
Application site vasculitis;  
Arrhythmia;  
Arterial bypass occlusion;  
Arterial bypass thrombosis;  
Arterial thrombosis;  
Arteriovenous fistula thrombosis;  
Arteriovenous graft site stenosis;  
Arteriovenous graft thrombosis;  
Arteritis;  
Arteritis coronary;  
Arthralgia;  
Arthritis;  
Arthritis enteropathic;  
Ascites;  
Aseptic cavernous sinus thrombosis;  
Aspartate aminotransferase abnormal;  
Aspartate aminotransferase increased;  
Aspartate-glutamate-transporter deficiency;  
AST to platelet ratio index increased;  
AST/ALT ratio abnormal;  
Asthma;  
Asymptomatic COVID-19;  
Ataxia;  
Atheroembolism;  
Atonic seizures;  
Atrial thrombosis;  
Atrophic thyroiditis;  
Atypical benign partial epilepsy;  
Atypical pneumonia;  
Aura;  
Autoantibody positive;  
Autoimmune anaemia;  
Autoimmune aplastic anaemia;  
Autoimmune arthritis;  
Autoimmune blistering disease;  
Autoimmune cholangitis;  
Autoimmune colitis;  
Autoimmune demyelinating disease;  
Autoimmune dermatitis;  
Autoimmune disorder;  
Autoimmune encephalopathy;  
Autoimmune endocrine disorder;  
Autoimmune enteropathy;  
Autoimmune eye disorder;  
Autoimmune haemolytic anaemia;  
Autoimmune heparin-induced thrombocytopenia;  
Autoimmune hepatitis;

Autoimmune hyperlipidaemia;  
Autoimmune hypothyroidism;  
Autoimmune inner ear disease;  
Autoimmune lung disease;  
Autoimmune lymphoproliferative syndrome;  
Autoimmune myocarditis;  
Autoimmune myositis;  
Autoimmune nephritis;  
Autoimmune neuropathy;  
Autoimmune neutropenia;  
Autoimmune pancreatitis;  
Autoimmune pancytopenia;  
Autoimmune pericarditis;  
Autoimmune retinopathy;  
Autoimmune thyroid disorder;  
Autoimmune thyroiditis;  
Autoimmune uveitis;  
Autoinflammation with infantile enterocolitis;  
Autoinflammatory disease;  
Automatism epileptic;  
Autonomic nervous system imbalance;  
Autonomic seizure;  
Axial spondyloarthritis;  
Axillary vein thrombosis;  
Axonal and demyelinating polyneuropathy;  
Axonal neuropathy;  
Bacterascites;  
Baltic myoclonic epilepsy;  
Band sensation;  
Basedow's disease;  
Basilar artery thrombosis;  
Basophilopenia;  
B-cell aplasia;  
Behcet's syndrome;  
Benign ethnic neutropenia;  
Benign familial neonatal convulsions;  
Benign familial pemphigus;  
Benign rolandic epilepsy;  
Beta-2 glycoprotein antibody positive;  
Bickerstaff's encephalitis;  
Bile output abnormal;  
Bile output decreased;  
Biliary ascites;  
Bilirubin conjugated abnormal;  
Bilirubin conjugated increased;  
Bilirubin urine present;  
Biopsy liver abnormal;  
Biotinidase deficiency;  
Birdshot chorioretinopathy;  
Blood alkaline phosphatase abnormal;  
Blood alkaline phosphatase increased;  
Blood bilirubin abnormal;  
Blood bilirubin increased;  
Blood bilirubin unconjugated increased;

Blood cholinesterase abnormal;  
Blood cholinesterase decreased;  
Blood pressure decreased;  
Blood pressure diastolic decreased;  
Blood pressure systolic decreased;  
Blue toe syndrome;  
Brachiocephalic vein thrombosis;  
Brain stem embolism;  
Brain stem thrombosis;  
Bromosulphthalein test abnormal;  
Bronchial oedema;  
Bronchitis;  
Bronchitis mycoplasmal;  
Bronchitis viral;  
Bronchopulmonary aspergillosis allergic;  
Bronchospasm;  
Budd-Chiari syndrome;  
Bulbar palsy;  
Butterfly rash;  
C1q nephropathy;  
Caesarean section;  
Calcium embolism;  
Capillaritis;  
Caplan's syndrome;  
Cardiac amyloidosis;  
Cardiac arrest;  
Cardiac failure;  
Cardiac failure acute;  
Cardiac sarcoidosis;  
Cardiac ventricular thrombosis;  
Cardiogenic shock;  
Cardiolipin antibody positive;  
Cardiopulmonary failure;  
Cardio-respiratory arrest;  
Cardio-respiratory distress;  
Cardiovascular insufficiency;  
Carotid arterial embolus;  
Carotid artery thrombosis;  
Cataplexy;  
Catheter site thrombosis;  
Catheter site vasculitis;  
Cavernous sinus thrombosis;  
CDKL5 deficiency disorder;  
CEC syndrome;  
Cement embolism;  
Central nervous system lupus;  
Central nervous system vasculitis;  
Cerebellar artery thrombosis;  
Cerebellar embolism;  
Cerebral amyloid angiopathy;  
Cerebral arteritis;  
Cerebral artery embolism;  
Cerebral artery thrombosis;  
Cerebral gas embolism;

Cerebral microembolism;  
Cerebral septic infarct;  
Cerebral thrombosis;  
Cerebral venous sinus thrombosis;  
Cerebral venous thrombosis;  
Cerebrospinal thrombotic tamponade;  
Cerebrovascular accident;  
Change in seizure presentation;  
Chest discomfort;  
Child-Pugh-Turcotte score abnormal;  
Child-Pugh-Turcotte score increased;  
Chillblains;  
Choking;  
Choking sensation;  
Cholangitis sclerosing;  
Chronic autoimmune glomerulonephritis;  
Chronic cutaneous lupus erythematosus;  
Chronic fatigue syndrome;  
Chronic gastritis;  
Chronic inflammatory demyelinating polyradiculoneuropathy;  
Chronic lymphocytic inflammation with pontine perivascular enhancement responsive to steroids;  
Chronic recurrent multifocal osteomyelitis;  
Chronic respiratory failure;  
Chronic spontaneous urticaria;  
Circulatory collapse;  
Circumoral oedema;  
Circumoral swelling;  
Clinically isolated syndrome;  
Clonic convulsion;  
Coeliac disease;  
Cogan's syndrome;  
Cold agglutinins positive;  
Cold type haemolytic anaemia;  
Colitis;  
Colitis erosive;  
Colitis herpes;  
Colitis microscopic;  
Colitis ulcerative;  
Collagen disorder;  
Collagen-vascular disease;  
Complement factor abnormal;  
Complement factor C1 decreased;  
Complement factor C2 decreased;  
Complement factor C3 decreased;  
Complement factor C4 decreased;  
Complement factor decreased;  
Computerised tomogram liver abnormal;  
Concentric sclerosis;Congenital anomaly;  
Congenital bilateral perisylvian syndrome;  
Congenital herpes simplex infection;  
Congenital myasthenic syndrome;  
Congenital varicella infection;  
Congestive hepatopathy;  
Convulsion in childhood;

Convulsions local;  
Convulsive threshold lowered;  
Coombs positive haemolytic anaemia;  
Coronary artery disease;  
Coronary artery embolism;  
Coronary artery thrombosis;  
Coronary bypass thrombosis;  
Coronavirus infection;  
Coronavirus test;  
Coronavirus test negative;  
Coronavirus test positive;  
Corpus callosotomy;  
Cough;  
Cough variant asthma;  
COVID-19;  
COVID-19 immunisation;  
COVID-19 pneumonia;  
COVID-19 prophylaxis;  
COVID-19 treatment;  
Cranial nerve disorder;  
Cranial nerve palsies multiple;  
Cranial nerve paralysis;  
CREST syndrome;  
Crohn's disease;  
Cryofibrinogenaemia;  
Cryoglobulinaemia;  
CSF oligoclonal band present;  
CSWS syndrome;  
Cutaneous amyloidosis;  
Cutaneous lupus erythematosus;  
Cutaneous sarcoidosis;  
Cutaneous vasculitis;  
Cyanosis;  
Cyclic neutropenia;  
Cystitis interstitial;  
Cytokine release syndrome;  
Cytokine storm;  
De novo purine synthesis inhibitors associated acute inflammatory syndrome;  
Death neonatal;  
Deep vein thrombosis;  
Deep vein thrombosis postoperative;  
Deficiency of bile secretion;  
Deja vu;  
Demyelinating polyneuropathy;  
Demyelination;  
Dermatitis;  
Dermatitis bullous;  
Dermatitis herpetiformis;  
Dermatomyositis;  
Device embolisation;  
Device related thrombosis;  
Diabetes mellitus;  
Diabetic ketoacidosis;  
Diabetic mastopathy;

Dialysis amyloidosis;  
Dialysis membrane reaction;  
Diastolic hypotension;  
Diffuse vasculitis;  
Digital pitting scar;  
Disseminated intravascular coagulation;  
Disseminated intravascular coagulation in newborn;  
Disseminated neonatal herpes simplex;  
Disseminated varicella;  
Disseminated varicella zoster vaccine virus infection;  
Disseminated varicella zoster virus infection;  
DNA antibody positive;  
Double cortex syndrome;  
Double stranded DNA antibody positive;  
Dreamy state;  
Dressler's syndrome;  
Drop attacks;  
Drug withdrawal convulsions;  
Dyspnoea;  
Early infantile epileptic encephalopathy with burst-suppression;  
Eclampsia;  
Eczema herpeticum;  
Embolia cutis medicamentosa;  
Embolic cerebellar infarction;  
Embolic cerebral infarction;  
Embolic pneumonia;  
Embolic stroke;  
Embolism;  
Embolism arterial;  
Embolism venous;  
Encephalitis;  
Encephalitis allergic;  
Encephalitis autoimmune;  
Encephalitis brain stem;  
Encephalitis haemorrhagic;  
Encephalitis periaxialis diffusa;  
Encephalitis post immunisation;  
Encephalomyelitis;  
Encephalopathy;  
Endocrine disorder;  
Endocrine ophthalmopathy;  
Endotracheal intubation;  
Enteritis;  
Enteritis leukopenic;  
Enterobacter pneumonia;  
Enterocolitis;  
Enteropathic spondylitis;  
Eosinopenia;  
Eosinophilic fasciitis;  
Eosinophilic granulomatosis with polyangiitis;  
Eosinophilic oesophagitis;  
Epidermolysis;  
Epilepsy;  
Epilepsy surgery;

Epilepsy with myoclonic-tonic seizures;  
Epileptic aura;  
Epileptic psychosis;  
Erythema;  
Erythema induratum;  
Erythema multiforme;  
Erythema nodosum;  
Evans syndrome;  
Exanthema subitum;  
Expanded disability status scale score decreased;  
Expanded disability status scale score increased;  
Exposure to communicable disease;  
Exposure to SARS-CoV-2;  
Eye oedema;  
Eye pruritus;  
Eye swelling;  
Eyelid oedema;  
Face oedema;  
Facial paralysis;  
Facial paresis;  
Faciobrachial dystonic seizure;  
Fat embolism;  
Febrile convulsion;  
Febrile infection-related epilepsy syndrome;  
Febrile neutropenia;  
Felty's syndrome;  
Femoral artery embolism;  
Fibrillary glomerulonephritis;  
Fibromyalgia;  
Flushing;  
Foaming at mouth;  
Focal cortical resection;  
Focal dyscognitive seizures;  
Foetal distress syndrome;  
Foetal placental thrombosis;  
Foetor hepaticus;  
Foreign body embolism;  
Frontal lobe epilepsy;  
Fulminant type 1 diabetes mellitus;  
Galactose elimination capacity test abnormal;  
Galactose elimination capacity test decreased;  
Gamma-glutamyltransferase abnormal;  
Gamma-glutamyltransferase increased;  
Gastritis herpes;  
Gastrointestinal amyloidosis;  
Gelastic seizure;  
Generalised onset non-motor seizure;  
Generalised tonic-clonic seizure;  
Genital herpes;  
Genital herpes simplex;  
Genital herpes zoster;  
Giant cell arteritis;  
Glomerulonephritis;  
Glomerulonephritis membranoproliferative;

Glomerulonephritis membranous;  
Glomerulonephritis rapidly progressive;  
Glossopharyngeal nerve paralysis;  
Glucose transporter type 1 deficiency syndrome;  
Glutamate dehydrogenase increased;  
Glycocholic acid increased;  
GM<sub>2</sub> gangliosidosis;  
Goodpasture's syndrome;  
Graft thrombosis;  
Granulocytopenia;  
Granulocytopenia neonatal;  
Granulomatosis with polyangiitis;  
Granulomatous dermatitis;  
Grey matter heterotopia;  
Guanase increased;  
Guillain-Barre syndrome;  
Haemolytic anaemia;  
Haemophagocytic lymphohistiocytosis;  
Haemorrhage;  
Haemorrhagic ascites;  
Haemorrhagic disorder;  
Haemorrhagic pneumonia;  
Haemorrhagic varicella syndrome;  
Haemorrhagic vasculitis;  
Hantavirus pulmonary infection;  
Hashimoto's encephalopathy;  
Hashitoxicosis;  
Hemimegalencephaly;  
Henoch-Schonlein purpura;  
Henoch- Schonlein purpura nephritis;  
Hepaplastin abnormal;  
Hepaplastin decreased;  
Heparin-induced thrombocytopenia;  
Hepatic amyloidosis;  
Hepatic artery embolism;  
Hepatic artery flow decreased;  
Hepatic artery thrombosis;  
Hepatic enzyme abnormal;  
Hepatic enzyme decreased;  
Hepatic enzyme increased;  
Hepatic fibrosis marker abnormal;  
Hepatic fibrosis marker increased;  
Hepatic function abnormal;  
Hepatic hydrothorax;  
Hepatic hypertrophy;  
Hepatic hypoperfusion;  
Hepatic lymphocytic infiltration;  
Hepatic mass;  
Hepatic pain;  
Hepatic sequestration;  
Hepatic vascular resistance increased;  
Hepatic vascular thrombosis;  
Hepatic vein embolism;  
Hepatic vein thrombosis;

Hepatic venous pressure gradient abnormal;  
Hepatic venous pressure gradient increased;  
Hepatitis;  
Hepatobiliary scan abnormal;  
Hepatomegaly;  
Hepatosplenomegaly;  
Hereditary angioedema with C1 esterase inhibitor deficiency;  
Herpes dermatitis;  
Herpes gestationis;  
Herpes oesophagitis;  
Herpes ophthalmic;  
Herpes pharyngitis;  
Herpes sepsis;  
Herpes simplex;  
Herpes simplex cervicitis;  
Herpes simplex colitis;  
Herpes simplex encephalitis;  
Herpes simplex gastritis;  
Herpes simplex hepatitis;  
Herpes simplex meningitis;  
Herpes simplex meningoencephalitis;  
Herpes simplex meningomyelitis;  
Herpes simplex necrotising retinopathy;  
Herpes simplex oesophagitis;  
Herpes simplex otitis externa;  
Herpes simplex pharyngitis;  
Herpes simplex pneumonia;  
Herpes simplex reactivation;  
Herpes simplex sepsis;  
Herpes simplex viraemia;  
Herpes simplex virus conjunctivitis neonatal;  
Herpes simplex visceral;  
Herpes virus infection;  
Herpes zoster;  
Herpes zoster cutaneous disseminated;  
Herpes zoster infection neurological;  
Herpes zoster meningitis;  
Herpes zoster meningoencephalitis;  
Herpes zoster meningomyelitis;  
Herpes zoster meningoradiculitis;  
Herpes zoster necrotising retinopathy;  
Herpes zoster oticus;  
Herpes zoster pharyngitis;  
Herpes zoster reactivation;  
Herpetic radiculopathy;  
Histone antibody positive;  
Hoigne's syndrome;  
Human herpesvirus 6 encephalitis;  
Human herpesvirus 6 infection;  
Human herpesvirus 6 infection reactivation;  
Human herpesvirus 7 infection;  
Human herpesvirus 8 infection;  
Hyperammonaemia;  
Hyperbilirubinaemia;

Hypercholia;  
Hypergammaglobulinaemia benign monoclonal;  
Hyperglycaemic seizure;  
Hypersensitivity;  
Hypersensitivity vasculitis;  
Hyperthyroidism;  
Hypertransaminasaemia;  
Hyperventilation;  
Hypoalbuminaemia;  
Hypocalcaemic seizure;  
Hypogammaglobulinaemia;  
Hypoglossal nerve paralysis;  
Hypoglossal nerve paresis;  
Hypoglycaemic seizure;  
Hyponatraemic seizure;  
Hypotension;  
Hypotensive crisis;  
Hypothenar hammer syndrome;  
Hypothyroidism;  
Hypoxia;  
Idiopathic CD4 lymphocytopenia;  
Idiopathic generalised epilepsy;  
Idiopathic interstitial pneumonia;  
Idiopathic neutropenia;  
Idiopathic pulmonary fibrosis;  
IgA nephropathy;  
IgM nephropathy;  
IIrd nerve paralysis;  
IIIrd nerve paresis;  
Iliac artery embolism;  
Immune thrombocytopenia;  
Immune-mediated adverse reaction;  
Immune-mediated cholangitis;  
Immune-mediated cholestasis;  
Immune-mediated cytopenia;  
Immune-mediated encephalitis;  
Immune-mediated encephalopathy;  
Immune-mediated endocrinopathy;  
Immune-mediated enterocolitis;  
Immune-mediated gastritis;  
Immune-mediated hepatic disorder;  
Immune-mediated hepatitis;  
Immune-mediated hyperthyroidism;  
Immune-mediated hypothyroidism;  
Immune-mediated myocarditis;  
Immune-mediated myositis;  
Immune-mediated nephritis;  
Immune-mediated neuropathy;  
Immune-mediated pancreatitis;  
Immune-mediated pneumonitis;  
Immune-mediated renal disorder;  
Immune-mediated thyroiditis;  
Immune-mediated uveitis;  
Immunoglobulin G4 related disease;

Immunoglobulins abnormal;  
Implant site thrombosis;  
Inclusion body myositis;  
Infantile genetic agranulocytosis;  
Infantile spasms;  
Infected vasculitis;  
Infective thrombosis;  
Inflammation;  
Inflammatory bowel disease;  
Infusion site thrombosis;  
Infusion site vasculitis;  
Injection site thrombosis;  
Injection site urticaria;  
Injection site vasculitis;  
Instillation site thrombosis;  
Insulin autoimmune syndrome;  
Interstitial granulomatous dermatitis;  
Interstitial lung disease;  
Intracardiac mass;  
Intracardiac thrombus;  
Intracranial pressure increased;  
Intrapericardial thrombosis;  
Intrinsic factor antibody abnormal;  
Intrinsic factor antibody positive;  
IPEX syndrome;  
Irregular breathing;  
IRVAN syndrome;  
IVth nerve paralysis;  
IVth nerve paresis;  
JC polyomavirus test positive;  
JC virus CSF test positive;  
Jeavons syndrome;  
Jugular vein embolism;  
Jugular vein thrombosis;  
Juvenile idiopathic arthritis;  
Juvenile myoclonic epilepsy;  
Juvenile polymyositis;  
Juvenile psoriatic arthritis;  
Juvenile spondyloarthritis;  
Kaposi sarcoma inflammatory cytokine syndrome;  
Kawasaki's disease;  
Kayser-Fleischer ring;  
Keratoderma blenorrhagica;  
Ketosis-prone diabetes mellitus;  
Kounis syndrome;  
Lafora's myoclonic epilepsy;  
Lambl's excrescences;  
Laryngeal dyspnoea;  
Laryngeal oedema;  
Laryngeal rheumatoid arthritis;  
Laryngospasm;  
Laryngotracheal oedema;  
Latent autoimmune diabetes in adults;  
LE cells present;

Lemierre syndrome;  
Lennox-Gastaut syndrome;  
Leucine aminopeptidase increased;  
Leukoencephalomyelitis;  
Leukoencephalopathy;  
Leukopenia;  
Leukopenia neonatal;  
Lewis-Sumner syndrome;  
Lhermitte's sign;  
Lichen planopilaris;  
Lichen planus;  
Lichen sclerosus;  
Limbic encephalitis;  
Linear IgA disease;  
Lip oedema;  
Lip swelling;  
Liver function test abnormal;  
Liver function test decreased;  
Liver function test increased;  
Liver induration;  
Liver injury;  
Liver iron concentration abnormal;  
Liver iron concentration increased;  
Liver opacity;Liver palpable;  
Liver sarcoidosis;  
Liver scan abnormal;  
Liver tenderness;  
Low birth weight baby;  
Lower respiratory tract herpes infection;  
Lower respiratory tract infection;  
Lower respiratory tract infection viral;  
Lung abscess;  
Lupoid hepatic cirrhosis;  
Lupus cystitis;  
Lupus encephalitis;  
Lupus endocarditis;  
Lupus enteritis;  
Lupus hepatitis;  
Lupus myocarditis;  
Lupus myositis;  
Lupus nephritis;  
Lupus pancreatitis;  
Lupus pleurisy;  
Lupus pneumonitis;  
Lupus vasculitis;  
Lupus-like syndrome;  
Lymphocytic hypophysitis;  
Lymphocytopenia neonatal;  
Lymphopenia;  
MAGIC syndrome;  
Magnetic resonance imaging liver abnormal;  
Magnetic resonance proton density fat fraction measurement;  
Mahler sign;  
Manufacturing laboratory analytical testing issue;

Manufacturing materials issue;  
Manufacturing production issue;  
Marburg's variant multiple sclerosis;  
Marchiafava-Bignami disease;  
Marine Lenhart syndrome;  
Mastocytic enterocolitis;  
Maternal exposure during pregnancy;  
Medical device site thrombosis;  
Medical device site vasculitis;  
MELAS syndrome;  
Meningitis;  
Meningitis aseptic;  
Meningitis herpes;  
Meningoencephalitis herpes simplex neonatal;  
Meningoencephalitis herpetic;  
Meningomyelitis herpes;  
MERS-CoV test;  
MERS-CoV test negative;  
MERS-CoV test positive;  
Mesangioproliferative glomerulonephritis;  
Mesenteric artery embolism;  
Mesenteric artery thrombosis;  
Mesenteric vein thrombosis;  
Metapneumovirus infection;  
Metastatic cutaneous Crohn's disease;  
Metastatic pulmonary embolism;  
Microangiopathy;  
Microembolism;  
Microscopic polyangiitis;  
Middle East respiratory syndrome;  
Migraine-triggered seizure;  
Miliary pneumonia;  
Miller Fisher syndrome;  
Mitochondrial aspartate aminotransferase increased;  
Mixed connective tissue disease;  
Model for end stage liver disease score abnormal;  
Model for end stage liver disease score increased;  
Molar ratio of total branched-chain amino acid to tyrosine;  
Molybdenum cofactor deficiency;  
Monocytopenia;  
Mononeuritis;  
Mononeuropathy multiplex;  
Morphea;  
Morvan syndrome;  
Mouth swelling;  
Moyamoya disease;  
Multifocal motor neuropathy;  
Multiple organ dysfunction syndrome;  
Multiple sclerosis;  
Multiple sclerosis relapse;  
Multiple sclerosis relapse prophylaxis;  
Multiple subpial transection;  
Multisystem inflammatory syndrome in children;  
Muscular sarcoidosis;

Myasthenia gravis;  
Myasthenia gravis crisis;  
Myasthenia gravis neonatal;  
Myasthenic syndrome;  
Myelitis;  
Myelitis transverse;  
Myocardial infarction;  
Myocarditis;  
Myocarditis post infection;  
Myoclonic epilepsy;  
Myoclonic epilepsy and ragged-red fibres;  
Myokymia;  
Myositis;  
Narcolepsy;  
Nasal herpes;  
Nasal obstruction;  
Necrotising herpetic retinopathy;  
Neonatal Crohn's disease;  
Neonatal epileptic seizure;  
Neonatal lupus erythematosus;  
Neonatal mucocutaneous herpes simplex;  
Neonatal pneumonia;  
Neonatal seizure;  
Nephritis;  
Nephrogenic systemic fibrosis;  
Neuralgic amyotrophy;  
Neuritis;  
Neuritis cranial;  
Neuromyelitis optica pseudo relapse;  
Neuromyelitis optica spectrum disorder;  
Neuromyotonia;  
Neuronal neuropathy;  
Neuropathy peripheral;  
Neuropathy, ataxia, retinitis pigmentosa syndrome;  
Neuropsychiatric lupus;  
Neurosarcoidosis;  
Neutropenia;  
Neutropenia neonatal;  
Neutropenic colitis;  
Neutropenic infection;  
Neutropenic sepsis;  
Nodular rash;  
Nodular vasculitis;  
Noninfectious myelitis;  
Noninfective encephalitis;  
Noninfective encephalomyelitis;  
Noninfective oophoritis;  
Obstetrical pulmonary embolism;  
Occupational exposure to communicable disease;  
Occupational exposure to SARS-CoV-2;  
Ocular hyperaemia;  
Ocular myasthenia;  
Ocular pemphigoid;  
Ocular sarcoidosis;

Ocular vasculitis;  
Oculofacial paralysis;  
Oedema;  
Oedema blister;  
Oedema due to hepatic disease;  
Oedema mouth;  
Oesophageal achalasia;  
Ophthalmic artery thrombosis;  
Ophthalmic herpes simplex;  
Ophthalmic herpes zoster;  
Ophthalmic vein thrombosis;  
Optic neuritis;  
Optic neuropathy;  
Optic perineuritis;  
Oral herpes;  
Oral lichen planus;  
Oropharyngeal oedema;  
Oropharyngeal spasm;  
Oropharyngeal swelling;  
Osmotic demyelination  
syndrome;  
Ovarian vein thrombosis;  
Overlap syndrome;  
Paediatric autoimmune neuropsychiatric disorders associated with streptococcal infection;  
Paget-Schroetter syndrome;  
Palindromic rheumatism;  
Palisaded neutrophilic granulomatous dermatitis;  
Palmoplantar keratoderma;  
Palpable purpura;  
Pancreatitis;  
Panencephalitis;  
Papillophlebitis;  
Paracancerous pneumonia;  
Paradoxical embolism;  
Parainfluenzae viral laryngotracheobronchitis;  
Paraneoplastic dermatomyositis;  
Paraneoplastic pemphigus;  
Paraneoplastic thrombosis;  
Paresis cranial nerve;  
Parietal cell antibody positive;  
Paroxysmal nocturnal haemoglobinuria;  
Partial seizures;  
Partial seizures with secondary generalisation;  
Patient isolation;  
Pelvic venous thrombosis;  
Pemphigoid;  
Pemphigus;  
Penile vein thrombosis;  
Pericarditis;  
Pericarditis lupus;  
Perihepatic discomfort;  
Periorbital oedema;  
Periorbital swelling;  
Peripheral artery thrombosis;

Peripheral embolism;  
Peripheral ischaemia;  
Peripheral vein thrombus extension;  
Periportal oedema;  
Peritoneal fluid protein abnormal;  
Peritoneal fluid protein decreased;  
Peritoneal fluid protein increased;  
Peritonitis lupus;  
Pernicious anaemia;  
Petit mal epilepsy;  
Pharyngeal oedema;  
Pharyngeal swelling;  
Pityriasis lichenoides et varioliformis acuta;  
Placenta praevia;  
Pleuroparenchymal fibroelastosis;  
Pneumobilia;  
Pneumonia;  
Pneumonia adenoviral;  
Pneumonia cytomegaloviral;  
Pneumonia herpes viral;  
Pneumonia influenzal;  
Pneumonia measles;  
Pneumonia mycoplasmal;  
Pneumonia necrotising;  
Pneumonia parainfluenzae viral;  
Pneumonia respiratory syncytial viral;  
Pneumonia viral;  
POEMS syndrome;  
Polyarteritis nodosa;  
Polyarthritis;  
Polychondritis;  
Polyglandular autoimmune syndrome type I;  
Polyglandular autoimmune syndrome type II;  
Polyglandular autoimmune syndrome type III;  
Polyglandular disorder;  
Polymicrogyria;  
Polymyalgia rheumatica;  
Polymyositis;  
Polyneuropathy;  
Polyneuropathy idiopathic progressive;  
Portal pyaemia;  
Portal vein embolism;  
Portal vein flow decreased;  
Portal vein pressure increased;  
Portal vein thrombosis;  
Portosplenomesenteric venous thrombosis;  
Post procedural hypotension;  
Post procedural pneumonia;  
Post procedural pulmonary embolism;  
Post stroke epilepsy;  
Post stroke seizure;  
Post thrombotic retinopathy;  
Post thrombotic syndrome;  
Post viral fatigue syndrome;

Postictal headache;  
Postictal paralysis;  
Postictal psychosis;  
Postictal state;  
Postoperative respiratory distress;  
Postoperative respiratory failure;  
Postoperative thrombosis;  
Postpartum thrombosis;  
Postpartum venous thrombosis;  
Postpericardiotomy syndrome;  
Post-traumatic epilepsy;  
Postural orthostatic tachycardia syndrome;  
Precerebral artery thrombosis;  
Pre-eclampsia;  
Preictal state;  
Premature labour;  
Premature menopause;  
Primary amyloidosis;  
Primary biliary cholangitis;  
Primary progressive multiple sclerosis;  
Procedural shock;  
Proctitis herpes;  
Proctitis ulcerative;  
Product availability issue;  
Product distribution issue;  
Product supply issue;  
Progressive facial hemiatrophy;  
Progressive multifocal leukoencephalopathy;  
Progressive multiple sclerosis;  
Progressive relapsing multiple sclerosis;  
Prosthetic cardiac valve thrombosis;  
Pruritus;  
Pruritus allergic;  
Pseudovasculitis;  
Psoriasis;  
Psoriatic arthropathy;  
Pulmonary amyloidosis;  
Pulmonary artery thrombosis;  
Pulmonary embolism;  
Pulmonary fibrosis;  
Pulmonary haemorrhage;  
Pulmonary microemboli;  
Pulmonary oil microembolism;  
Pulmonary renal syndrome;  
Pulmonary sarcoidosis;  
Pulmonary sepsis;  
Pulmonary thrombosis;  
Pulmonary tumour thrombotic microangiopathy;  
Pulmonary vasculitis;  
Pulmonary veno-occlusive disease;  
Pulmonary venous thrombosis;  
Pyoderma gangrenosum;  
Pyostomatitis vegetans;  
Pyrexia;

Quarantine;  
Radiation leukopenia;  
Radiculitis brachial;  
Radiologically isolated syndrome;  
Rash;  
Rash erythematous;  
Rash pruritic;  
Rasmussen encephalitis;  
Raynaud's phenomenon;  
Reactive capillary endothelial proliferation;  
Relapsing multiple sclerosis;  
Relapsing-remitting multiple sclerosis;  
Renal amyloidosis;  
Renal arteritis;  
Renal artery thrombosis;  
Renal embolism;  
Renal failure;  
Renal vascular thrombosis;  
Renal vasculitis;  
Renal vein embolism;  
Renal vein thrombosis;  
Respiratory arrest;  
Respiratory disorder;  
Respiratory distress;  
Respiratory failure;  
Respiratory paralysis;  
Respiratory syncytial virus bronchiolitis;  
Respiratory syncytial virus bronchitis;  
Retinal artery embolism;  
Retinal artery occlusion;  
Retinal artery thrombosis;  
Retinal vascular thrombosis;  
Retinal vasculitis;  
Retinal vein occlusion;  
Retinal vein thrombosis;  
Retinol binding protein decreased;  
Retinopathy;  
Retrograde portal vein flow;  
Retroperitoneal fibrosis;  
Reversible airways obstruction;  
Reynold's syndrome;  
Rheumatic brain disease;  
Rheumatic disorder;  
Rheumatoid arthritis;  
Rheumatoid factor increased;  
Rheumatoid factor positive;  
Rheumatoid factor quantitative increased;  
Rheumatoid lung;  
Rheumatoid neutrophilic dermatosis;  
Rheumatoid nodule;  
Rheumatoid nodule removal;  
Rheumatoid scleritis;  
Rheumatoid vasculitis;  
Saccadic eye movement;

SAPHO syndrome;  
Sarcoidosis;  
SARS-CoV-1 test;  
SARS-CoV-1 test negative;  
SARS-CoV-1 test positive;  
SARS-CoV-2 antibody test;  
SARS-CoV-2 antibody test negative;  
SARS-CoV-2 antibody test positive;  
SARS-CoV-2 carrier;  
SARS-CoV-2 sepsis;  
SARS-CoV-2 test;  
SARS-CoV-2 test false negative;  
SARS-CoV-2 test false positive;  
SARS-CoV-2 test negative;  
SARS-CoV-2 test positive;  
SARS-CoV-2 viraemia;  
Satoyoshi syndrome;  
Schizencephaly;  
Scleritis;  
Sclerodactylyia;  
Scleroderma;  
Scleroderma associated digital ulcer;  
Scleroderma renal crisis;  
Scleroderma-like reaction;  
Secondary amyloidosis;  
Secondary cerebellar degeneration;  
Secondary progressive multiple sclerosis;  
Segmented hyalinising vasculitis;  
Seizure;  
Seizure anoxic;  
Seizure cluster;  
Seizure like phenomena;  
Seizure prophylaxis;  
Sensation of foreign body;  
Septic embolus;  
Septic pulmonary embolism;  
Severe acute respiratory syndrome;  
Severe myoclonic epilepsy of infancy;  
Shock;  
Shock symptom;  
Shrinking lung syndrome;  
Shunt thrombosis;  
Silent thyroiditis;  
Simple partial seizures;  
Sjogren's syndrome;  
Skin swelling;  
SLE arthritis;  
Smooth muscle antibody positive;  
Sneezing;  
Spinal artery embolism;  
Spinal artery thrombosis;  
Splenic artery thrombosis;  
Splenic embolism;  
Splenic thrombosis;

Splenic vein thrombosis;  
Spondylitis;  
Spondyloarthropathy;  
Spontaneous heparin-induced thrombocytopenia syndrome;  
Status epilepticus;  
Stevens-Johnson syndrome;  
Stiff leg syndrome;  
Stiff person syndrome;  
Stillbirth;  
Still's disease;  
Stoma site thrombosis;  
Stoma site vasculitis;  
Stress cardiomyopathy;  
Stridor;  
Subacute cutaneous lupus erythematosus;  
Subacute endocarditis;  
Subacute inflammatory demyelinating polyneuropathy;  
Subclavian artery embolism;  
Subclavian artery thrombosis;  
Subclavian vein thrombosis;  
Sudden unexplained death in epilepsy;  
Superior sagittal sinus thrombosis;  
Susac's syndrome;  
Suspected COVID- 19;  
Swelling;  
Swelling face;  
Swelling of eyelid;  
Swollen tongue;  
Sympathetic ophthalmia;  
Systemic lupus erythematosus;  
Systemic lupus erythematosus disease activity index abnormal;  
Systemic lupus erythematosus disease activity index decreased;  
Systemic lupus erythematosus disease activity index increased;  
Systemic lupus erythematosus rash;  
Systemic scleroderma;  
Systemic sclerosis pulmonary;  
Tachycardia;  
Tachypnoea;  
Takayasu's arteritis;  
Temporal lobe epilepsy;  
Terminal ileitis;  
Testicular autoimmunity;  
Throat tightness;  
Thromboangiitis obliterans;  
Thrombocytopenia;  
Thrombocytopenic purpura;  
Thrombophlebitis;  
Thrombophlebitis migrans;  
Thrombophlebitis neonatal;  
Thrombophlebitis septic;  
Thrombophlebitis superficial;  
Thromboplastin antibody positive;  
Thrombosis;  
Thrombosis corpora cavernosa;

Thrombosis in device;  
Thrombosis mesenteric vessel;  
Thrombotic cerebral infarction;  
Thrombotic microangiopathy;  
Thrombotic stroke;  
Thrombotic thrombocytopenic purpura;  
Thyroid disorder;  
Thyroid stimulating immunoglobulin increased;  
Thyroiditis;  
Tongue amyloidosis;  
Tongue biting;  
Tongue oedema;  
Tonic clonic movements;  
Tonic convulsion;  
Tonic posturing;  
Topectomy;  
Total bile acids increased;  
Toxic epidermal necrolysis;  
Toxic leukoencephalopathy;  
Toxic oil syndrome;  
Tracheal obstruction;  
Tracheal oedema;  
Tracheobronchitis;  
Tracheobronchitis mycoplasmal;  
Tracheobronchitis viral;  
Transaminases abnormal;  
Transaminases increased;  
Transfusion-related alloimmune neutropenia;  
Transient epileptic amnesia;  
Transverse sinus thrombosis;  
Trigeminal nerve paresis;  
Trigeminal neuralgia;  
Trigeminal palsy;  
Truncus coeliacus thrombosis;  
Tuberous sclerosis complex;  
Tubulointerstitial nephritis and uveitis syndrome;  
Tumefactive multiple sclerosis;  
Tumour embolism;  
Tumour thrombosis;  
Type 1 diabetes mellitus;  
Type I hypersensitivity;  
Type III immune complex mediated reaction;  
Uhthoff's phenomenon;  
Ulcerative keratitis;  
Ultrasound liver abnormal;  
Umbilical cord thrombosis;  
Uncinate fits;  
Undifferentiated connective tissue disease;  
Upper airway obstruction;  
Urine bilirubin increased;  
Urobilinogen urine decreased;  
Urobilinogen urine increased;  
Urticaria;  
Urticaria papular;

Urticular vasculitis;  
Uterine rupture;  
Uveitis;  
Vaccination site thrombosis;  
Vaccination site vasculitis;  
Vagus nerve paralysis;  
Varicella;  
Varicella keratitis;  
Varicella post vaccine;  
Varicella zoster gastritis;  
Varicella zoster oesophagitis;  
Varicella zoster pneumonia;  
Varicella zoster sepsis;  
Varicella zoster virus infection;  
Vasa praevia;  
Vascular graft thrombosis;  
Vascular pseudoaneurysm thrombosis;  
Vascular purpura;  
Vascular stent thrombosis;  
Vasculitic rash;  
Vasculitic ulcer;  
Vasculitis;  
Vasculitis gastrointestinal;  
Vasculitis necrotising;  
Vena cava embolism;  
Vena cava thrombosis;  
Venous intravasation;  
Venous recanalisation;  
Venous thrombosis;  
Venous thrombosis in pregnancy;  
Venous thrombosis limb;  
Venous thrombosis neonatal;  
Vertebral artery thrombosis;  
Vessel puncture site thrombosis;  
Visceral venous thrombosis;  
VIth nerve paralysis;  
VIth nerve paresis;  
Vitiligo;  
Vocal cord paralysis;  
Vocal cord paresis;  
Vogt-Koyanagi-Harada disease;  
Warm type haemolytic anaemia;  
Wheezing;  
White nipple sign;  
XIth nerve paralysis;  
X-ray hepatobiliary abnormal;  
Young's syndrome;  
Zika virus associated Guillain Barre syndrome.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

<https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf>

APPENDIX 1. LIST OF ADVERSE EVENTS OF SPECIAL INTEREST

[https://phmpt.org/wp-content/uploads/2022/04/reissue\\_5.3.6-postmarketing-experience.pdf](https://phmpt.org/wp-content/uploads/2022/04/reissue_5.3.6-postmarketing-experience.pdf)